




Drive The World



BIKE CARE

CATALOG



a world without friction

WELCOME TO THE WORLD WITHOUT FRICTION

ELVI Bardahl Bike Care Program is specially designed and developed for your precious two wheelers. These services are designed to protect the exterior surface as well as for the mechanical maintenance of your valued asset. ELVI Bardahl, after exhaustive research, developed automotive care and maintenance products to protect your vehicle from paint fading, stains, contaminants, chain maintenance, anti-rust protection, tyre & rubber care, additives & flushing, lubricants, aerosol cleaners etc. It's essential that your vehicle undergoes such treatments periodically as it is exposed to harsh conditions everyday. So, go ahead and enjoy the ultimate experience in your two wheelers.

EXTERIOR CARE

PAINT PROTECTION PROGRAM

The Paint Protection Program is a unique paint care maintenance formula. The process starts with cleaning the exterior painted surface of two wheelers, waxing the surface, removal/fading of scratches, swirl and oxidation marks. This is followed by removing fine scratches and using sealant for giving premium glossy look and protection of the vehicle. Finally the tyre and vinyl surfaces are cleaned and polished. The process gives a high gloss finish and a new look to your scooters and motorcycles. The paint protection program is classified into two categories. Classic Paint Care Protection: where one re-check is given post first treatment and Superior Paint Care Protection: where two re-checks are given at an interval of 3 months post first treatment.

Paint Protection - Benefits

- Cleans oxidation and deep stains
- Gives the paint a swirl free finish
- Removes light surface imperfections
- Protects the vehicle finish from atmospheric & other pollutants
- Provides long lasting and high gloss finish to your two wheeler exterior
- Enrichment of exterior parts like vinyl, tyre, glass and plastic areas

PCS OE1/1000g	Part No. LV02052005
PCS OE2/1000g	Part No. LV02054005
PCS OE3/1000g	Part No. LV02055005
PCS OE Pro Step/1000g	Part No. LV02100005



60gms / Part No. LV02078043R
230gms / Part No. LV02078031R

ELVI Carnauba Wax is blended with the finest pure carnauba wax, resulting in a hard glass like finish on all painted surfaces of automobiles. The wax is safe for clear coats & all automobile finishes. Post waxing, the product do not leave behind any dusty residue and dries clear in cracks & crevices. The foundation of this carnauba wax/ polymer mix formulation is being used by professionals with unmatched results. Easy-on / easy-off application erases fine scratches and swirl marks to leave an ultra high gloss 'wet look'. The product comes with a sponge applicator. The finest Bardahl pro-wax for a brilliant shine.

CARNAUBA WAX TREATMENT

SILENCER COATING

150ml / Part No. LV02111004

Automotive silencers and exhaust systems are prone to rust, road salts, grease and harsh climatic conditions. Over a period of time the exhaust system gets worn out and rusted. Bardahl Silencer Coat is a heat resistant anti corrosive superior coating for exhaust system and galvanic surfaces. It protects the silencers against rust & corrosion giving it a new protective look. The process also helps in reducing rattling noise which may be emitting from the silencer assembly. For auto workshops, automobiles, marine, industrial application etc.

Benefits

- Protects against corrosion and compliments corrosion protection after accident repairs
- Heat resistant with good adhesion and gives the silencer a new look
- Contains no ozone-depleting ingredients



EMBLEM/ CHROME CLEANING & POLISHING

The shine on emblems gradually deteriorate showing up dirt and hard water stains. Emblem cleaning and polishing is required to keep the chrome areas in good and glossy condition. Beyond enhancing any vehicle appearance, original emblems also increase its re-sale value. Emblem cleaning removes even the toughest hard water stains, limescale deposit, soap scum, water mark, white stains from metal / chrome surfaces. Application of ELVI Bardahl Emblem Polish & Protector on the cleaned emblems gives a sparkling shine and a protective finish. The product is expressly formulated to work on metal / chrome surfaces.

Emblem Cleaner 200g / Part No. LV02036006
Emblem Polish & Protector 200g / Part No. LV02037006

> CHAIN MAINTENANCE

Most chains are open to air. This increases their contact with water and dampness and encourages corrosion. It also means more chance of fouling with dust, sand, road grime and other airborne contaminants. Corrosion and dirt hinder chain movement and lead to excess wear. In addition, some chains - like motorcycle, bicycle and industrial chains have intricate links with tight, hard to reach spaces. Regular lubricants don't penetrate these spaces easily and eventually tend to squeeze out.

CHAIN CLEANING

500ml / Part No. LV02031022

A cleaning spray designed with a combination of high grade solvents for quick, easy and effective cleaning & degreasing of external contaminants from the chain. The products chlorine-free formula removes all encrusted deposits. For motorbike & bike chains, door bolts, steering column heads, gliding rails, hinges, chains, open gears, pulleys, fork lifts, rollers, bushings, O-rings, etc.

Benefits

- Removes oil, grease, dirt, mud and other external contaminants
- Effectively penetrates well in areas with limited accessibility and cleans the chain
- Does not affect the metal surface



CHAIN LUBRICATION

100ml / Part No. LV02032003
500ml / Part No. LV02032022

A penetrating spray designed for superior lubrication and protection of all types of chains, to withstand harsh environmental conditions.

Benefits

- Water and salt water resistant
- Reduces friction, wear & tear, noise and vibration of the chain
- Good adhesion and protection against corrosion
- Has low viscosity with good creeping properties for close fits and clearances
- Forms a fine tear resistant lubricating film with outstanding noise & vibration damping properties
- The penetrant has low surface tension that lets it flow into tight spaces; capillary action actually draws it into areas between link side plates
- The anti-oxidant work chemically to prevent oxidation, the cause of rust and other corrosion Increases chain life



> ADDITIVES & FLUSHINGS

ENGINE ADDITIVE - Bardahl Oil Supplement

40ml / Part No. LV01014019

Modern vehicles operate under conditions that put extreme stress on the motor oil. Newer engines are smaller and operate at higher RPMs, increasing under hood temperatures and break down the strength of the oil. Also, city traffic conditions with stop and go driving contribute to greater thermal and mechanical stress on the oil. As the lubrication properties are depleted, this causes oil oxidation, deposit formation, engine wear and lower performance.

BARDAHL Oil Supplement™ uses 'polar attraction' technology to provide a triple layer of anti-wear and anti-friction protection that extends the effectiveness of the lubricant. By adding a tough lubricating film to metal parts, it will control oil oxidation, decrease deposit formation, reduce bearing corrosion, minimize wear and enhance overall engine performance. BARDAHL Oil Supplement™ solution also provides extra lubrication for city driving and during cold start-ups to minimize wear.

- Contains the unique "Polar Attraction" formula which coats moving parts with special friction reducing molecular film
- Maintains new vehicle performance & improves fuel economy by reducing engine friction & wear
- Restores engine power & compression and enhances engine life
- Recommended for 4-stroke vehicles

Directions for use: Add at each oil change and between changes as needed. Pour contents of bottle into oil tank/ chamber.





BARDAHL

FUEL ADDITIVE - Bardahl Injector Klene

20ml / Part No. LV01013009

Harmful carbon deposits forming throughout the fuel system is the #1 cause of drivability issues in all types of petrol powered engines. The deposits form in the fuel injectors, on the intake valves and in the combustion chamber, contributing to hard starting, rough idling, hesitation when accelerating, engine knocking or pinging, increased exhaust emissions and reduced fuel economy.

This solution is designed to provide a rapid and efficient 'one tank' clean-up of the entire fuel system; removing carbon and other harmful deposits from the injectors, intake valves and combustion chamber.

- Cleans and unclogs fuel injectors/ carburetor, dissolves injector/ carburetor deposits
- Removes carbon deposits from the injectors, intake valve and combustion chamber
- Eliminates hesitation, hard starting and rough idling
- Facilitates easier starting, smoother idling, immediate throttle
- Optimises fuel economy & engine performance
- Reduces emission, increases fuel stability & improves drivability
- Protects fuel system parts against rust & corrosion

Directions for use: Pour contents of bottle into the petrol tank. (20ml to a minimum of 3 litres of petrol) Use regularly



BARDAHL ENGINE FLUSH

30ml / Part No. LV01010014

All engines gradually develop gum, varnish and sludge deposits over time. These deposits interfere with the normal operation of the engine causing poor lubrication, reduced fuel economy, and a variety of drivability problems, which can decrease the life of the vehicle.

BARDAHL Engine Flush is an environmentally-friendly solution that contains no harmful solvents and is safe for use in all engines. It is a light oil-based product containing special dispersant and detergent additives that actively remove harmful deposits and keep them in suspension until the oil is drained from the engine.

- Removes gum, varnish, sludge and worn metal deposits that build-up in the engine
- Helps free up sticky valve lifters and piston rings
- Prepares the engine for an oil change; so new oil is not contaminated
- Safe to use, does not contain any solvents that will harm seals or other engine components
- Removes worn metal and other deposits blocking internal fluid passages

Directions for use: Pour contents into the crankcase. Do not overfill. Run engine at fast idle for 10 to 15 minutes, then change the oil and filter.



BARDAHL RADIATOR FAST FLUSH

250ml / Part No. LV01021011

Vehicle cooling systems work by transferring heat from the engine to the radiator. Over time deposits will build-up and rust, scale and sludge will form an insulating barrier that reduces the efficiency of the cooling system. This can cause over-heating and serious damage to the engine.

BARDAHL Radiator Fast Flush is a very effective cleaner that removes damaging deposits of rust, scale and sludge; restoring the efficiency and performance of the cooling system. The formulation includes wetting and surface active agents that thoroughly clean and protect the radiator.

- Flushes and conditions the entire cooling system
- Removes harmful rust, scale and sludge deposits on the radiator tubes that result from oxidations of coolant & corrosion of metal
- Removes contaminants such as dirt, grease, oil or hard water deposits
- Safe for use in aluminum radiators and will not harm plastic components
- Restores heat transfer efficiency to prevent over-heating and costly engine damage
- Safe for all types of coolant and anti-freeze solutions

Directions for use: Remove the radiator cap only if the engine is cool. Run the engine until it gets hot. Thoroughly shake the bottle and pour 2-5% of the content into the radiator. Replace the radiator cap and let the engine idle normally for 10 minutes. Drain the system by opening the radiator petcock or carefully removing lower radiator hose. Flush the system with water, until water runs clear. Close all drains and refill the radiator with BARDAHL coolant / anti-freeze mixture.



MECHANICAL CARE

BARDAHL CARB & CHOKE CLEANING

100ml / Part No. LV02062003
500ml / Part No. LV02002022

Crankcase vapors (PCV) cause the build-up of power-robbing deposits in the throttle body and air intake system. These deposits impede airflow and restrict proper operation of the throttle plate, causing poor idling, hesitation and other drivability problems.

BARDAHL Carb & Choke Cleaner is a powerful aerosol solution that cleans the throttle body by removing deposits and stops throttle plate sticking. The application of this solution quickly restores normal operation of the air intake system associated with a dirty throttle body, eliminating drivability problems and improving power and performance.

- Powerful solvent cleaning system
- Penetrates & dissolves dirt and deposits from all carburetor parts
- Removes gum, varnish deposits, dirt, grease and other contaminants from carburetor parts, throttle body, linkages, automatic chokes and PCV valves
- Loosens the throttle plate to restore efficient operation
- Removes deposits from the idle passages to improve drivability



BARDAHL ENGINE DE - CARBONIZING

200ml / Part No. LV01017007
410ml / Part No. LV01017020

Combustion Chamber Deposits (CCD) are typically a hard carbonaceous deposits that causes several different issues. The most serious problem is a direct correlation between combustion chamber deposits and increased octane requirements (ORI). A second phenomenon occurs in some engine designs that have tight tolerances between piston crown and cylinder head. The combustion chamber deposits can actually grow to sufficient thickness that contact occurs between piston and cylinder head.

Carbon cleaning with Proklene Engine De-Carbonising machine using Power Tune by BARDAHL is used to keep the engine in an overall good condition by removal of the carbon deposits from the cylinder liner, combustion area, cylinder head, and piston. Power Tune is formulated using the latest Poly Ether Amine fuel system detergents and special fuel stabilizers to provide complete clean-up of combustion chamber and other critical engine parts.

- Powerful solvent cleaning system
- Comprehensive cleanup of combustion chamber, induction system & fuel injector deposits
- Improved power, engine performance & response
- Improved fuel economy
- Reduced emissions
- Better overall performance



CLEANING SOLUTIONS

BARDAHL TAR REMOVER

500ml / Part No. LV02061022

Bardahl Tar Remover rapidly dissolves traces of tar, greases, adhesives and resin on windows, bodywork, underbody and grilles. Removes stubborn road tar deposits and bugs from automobile exterior surfaces.

Direction: Shake the can well before use. Clean the parts to be treated before application. Spray the product evenly on to the affected areas from about 5 cm distance and allow to penetrate, then wipe it with a microfiber or soft cloth.



BARDAHL ALLOY WHEEL CLEANER

1000ml / Part No. LV02027001

Alloy Cleaner efficiently dissolves and cleans dirt, oil, grease stains, traffic pollutants and residue from dirty alloy wheels.

Direction: Apply the material and spread with a cloth or brush. Leave on the surface for 5 to 10 minutes. Use sufficient material on excessively oily and greasy surface. Spray water with high pressure & wipe off residues.



BARDAHL ELVI 60 Multi-Use Spray

32g / Part No. LV02071016R
64g / Part No. LV02071027R

The product protects metal against rust, environmental corrosion and dirt. It penetrates metal parts, frees stuck parts like hinges, nuts, bolts, valves, locks, springs etc. Cleans and lubricates moving parts such as wheels, hinges, chains, gears, pedals etc. Displaces moisture, drives out water on metal surfaces such as engine spark plugs, power tools, motorcycle engines and outboard motors. It frees sticky mechanism.



BARDAHL DE-GREASER & ENGINE CLEANER

1000ml / Part No. LV02038001

De-Greaser & Engine Cleaner is specially formulated to clean all types of engines, machinery and oily or greasy surfaces. It eliminates the need for scrubbing & brushing on all but the most heavily grease-coated surfaces. It is fast penetrating and is safe on metals. Dissolution and emulsification by water rinsing.

Direction: Ensure that the engine is cool. Apply the material on the surface and leave for 5 to 10 minutes. Use sufficient material on excessively oily and greasy surface. Spray water with high pressure.



BARDAHL BRAKE PARTS KLENE

100ml / Part No. LV02030003
500ml / Part No. LV02030022

The product with a good penetrating ability is designed to quickly & effectively remove oil, grease, brake fluid, brake dust and other contaminants from all types of brake assemblies, lining pads and parts drums, cylinders, springs, pins, calipers, etc without disassembling the unit.

Directions: Spray liberally on parts to be cleaned. Wait for few minutes to permit complete penetration and loosening action. Flush away dissolved deposits with added applications. Air dry parts or use a soft cloth to wipe dry.



BARDAHL MULTI DRESSER

1000ml / Part No. LV02051001
5000ml / Part No. LV02051021

Multi Dresser protects, penetrates and beautifies all vinyl, tyres, moulding & black rubber and plexiglass surfaces. It freshens and restores the original colour of plastics & tyres giving them a rich new look. The product cares vehicle interiors such as dashboards, cockpit, door coverings, consoles etc.

Directions: To use, clean the surface from dust & dirt. Spray or pour Multi Dresser on to a soft foam and clean the surface in circular motion. Ensure uniform application. Wipe off excess materials with a clean soft dry cloth. Product can be used on all plastics and vinyl surfaces. Do not use on seats or brake parts.



WORKSHOP SERVICE PRO

BARDAHL ELECTRICAL CONTACT KLENE

500ml / Part No. LV02035022

Bardahl Electrical Contact Klene removes oxide and sulphide layers, condensation, resin, oil and dirt from sensitive electronics and electrical equipment. Eliminates high resistance. Cleans faulty electrical contacts in relays, thermostats, battery terminals, spark plug points etc. It dries quickly & leaves no residue.

Direction: Shake the can well before use. Locate the faulty spot and spray the contents evenly & in small quantity holding the container upright. Keep spraying distance of about 5 - 10 cms.



BARDAHL BATTERY TERMINAL SHIELD

150ml / Part No. LV02029004

Bardahl Battery Terminal Shield leaves a long lasting and a temperature resistant film. It protects the battery terminals and plug-in contacts from corrosion. It further protects against the effects of weather and battery acid formation. Prevents transfer resistance and voltage drops, thereby extending the battery life & assuring easy starting.

Direction: Shake the can well before use. Thoroughly clean the battery terminals before application with a clean cloth. Spray a thin coating on the battery terminals.



BARDAHL LUBRICATION SPRAY

100ml / Part No. LV02048003
500ml / Part No. LV02048022

Bardahl Lubrication Spray forms a fine tear resistant lubricating film with outstanding noise & vibration damping & adhesive properties. Has low viscosity with good creeping properties for close fits and clearances. The excellent capillary action allows to penetrate well in areas with limited accessibility. Prevents rust, corrosion & displaces moisture by leaving a water & salt water resistant lubricating film.

Direction: Shake the can well before use. Thoroughly clean the parts to be treated before application. Spray the product evenly on to the clean surface from about 5-10 cms distance.



WASHING SOLUTIONS

BARDAHL SUPERKLENE AUTOWASH SHAMPOO

1000ml / Part No. LV02060001
5000ml / Part No. LV02060021

Super Klene Auto Wash Shampoo is a highly active shampoo for excellent cleaning. It loosens all kinds of dirt and contamination of top coat and makes it look shiny. It is an efficient preparation for washing of motor vehicles. It is use for manual washing of passenger cars, off-road vehicles etc. The product can be used with a foam wash gun for foam wash application.

Directions: Dilution with water by 1% to 5% of water volume depending on the application. Clean the vehicle with a wash foam or a clean cloth and wipe off the water.



BARDAHL WATERLESS SPA - Dry Wash

1000ml / Part No. LV02068001
5000ml / Part No. LV02068021

Waterless Spa has a unique & a fragrant formula for cleaning a vehicle. The product is a revolutionary new method of washing and shining your vehicle in an easier and faster way without water. No buckets, no hoses no rinsing and drying! Ideal for washing new vehicle in places it is impossible to use water. The unique formulation dissolves dirt and stains, special agents encapsulate the dirt so that it can easily be wiped off a vehicle's delicate surface without scratching.

Directions: Spray the contents on the vehicle surface & clean the vehicle with a sponge or a clean cloth.



ACCESSORIES

BARDAHL WIPEX MICROFIBER CLOTH

41 X 41cm / Part No. LV0209044R

The product has the unique micro fibre technology. It wipes quickly and completely removes oily or filmy residues including waxes, polishes, glazes and fingerprints. Using microfiber helps preserve inter finishes. Microfibers will not scratch delicate surfaces, as long as they are well rinsed and free of grit.



CLAY BAR

100g / Part No. LV02033002

Removes embedded grains of metal, tree sap, airborne environmental deposits and paint overspray for "new" look. Removes the particulate debris and contaminants that washing and polishing can't. Use ELVI Clay Bar to get rid of paint-fouling grime and pave the way for complete waxing.





a world without friction



ELVI Bardahl India Pvt. Ltd.

802, Atlanta Centre, Sonawala Road,
Goregaon (West), Mumbai - 400 063 India

Mail us at: customer.care@elvibardahl.com

©2019 All rights reserved.


Under license from Bardahl Mfg. Corp.
Seattle WA 98107 USA

ELVI BARD AHL DOCUMENT

Within the context of its continuous improvement policy, Elvi reserves the right to modify its products' specifications and amend this catalog at any time. All rights reserved. The reproduction of this catalog in any format, without prior written authorization from Elvi, is prohibited.

ELVI BIKE CARE DIVISION
CATALOG_BIKECARE_2019IND

AC11315



WWW.ELVIBARD AHL.COM

